NPS Form 10-900
(Rev. 8-86)

OMB No. 1024-0018

1909

United States Department of the Interior
National Park Service

National Register of Historic Places Registration Form

RECEIVED
NOV 14 1990
NATIONAL REGISTER

This form is for use in nominating or requesting determinations of eligibility for individual properties or districts. See instructions in *Guidelines for Completing National Register Forms* (National Register Bulletin 16). Complete each item by marking "x" in the appropriate box or by entering the requested information. If an item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, styles, materials, and areas of significance, enter only the categories and subcategories listed in the instructions. For additional space use continuation sheets (Form 10-900a). Type all entries.

1. Name of Property

historic name: Green Island Light
other names/site number: N/A

2. Location

street & number: Green Island in Lake Erie — [N/A] not for publication
city, town — [N/A] vicinity
state: Ohio code: 039 county: Ottawa code: 123 zip code: N/A

3. Classification

Ownership of Property	Category of Property	Number of Resources within Property	
		Contributing	Noncontributing
[ ] private	[ ] building(s)		buildings
[ ] public-local	[ ] district		sites
[X] public-State	[X] site	1	
[ ] public-Federal	[ ] structure		1 structures
	[ ] object		objects
		1	1 Total

Name of related multiple property listing: Light Stations of Ohio

Number of contributing resources previously listed in the National Register 0

4. State/Federal Agency Certification

As the designated authority under the National Historic Preservation Act of 1966, as amended, I hereby certify that this [X] nomination [ ] request for determination of eligibility meets the documentation standards for registering properties in the National Register of Historic Places and meets the procedural and professional requirements set forth in 36 CFR Part 60. In my opinion, the property [X] meets [ ] does not meet the National Register criteria. [ ] See continuation sheet.

Barbara Powers — 11-7-90

Signature of certifying official — Date

State or Federal agency and bureau

In my opinion, the property [ ] meets [ ] does not meet the National Register criteria. [ ] See continuation sheet.

Signature of commenting or other official — Date

State or Federal agency and bureau

5. National Park Service Certification

I, hereby, certify that this property is:

[ ] entered in the National Register.
[ ] See continuation sheet.
[ ] determined eligible for the National Register. [ ] See continuation sheet.
[ ] determined not eligible for the National Register.
[ ] removed from the National Register.
[ ] other, (explain:) _____

Signature of the Keeper — Date of Action

6. Function or Use

Historic Functions (enter categories from instructions)
TRANSPORTATION: water-related

Current Functions (enter categories from instructions)
vacant/not in use

7. Description

Architectural Classification
(enter categories from instructions)

other: light station

Materials (enter categories from instructions)

foundation limestone
walls limestone
brick
roof N/A
other

Describe present and historic physical appearance.

The Green Island Light is located at the west end of Green Island, a small (15.80 acres) rocky island one mile west of South Bass Island in the western part of Lake Erie. The light station, abandoned since 1939, consists of one contributing site including the ruins of a stone light tower and attached two-story keeper's dwelling, the ruins of a stone privy, and a concrete walk connecting these buildings (and other structures no longer extant) with a former landing wharf at the east end of the island. In addition, other structures known to have existed as part of the light station, but no longer extant, offer the potential to yield important historical information about the function of the light station and the everyday lives of the keeper and his family. One non-contributing structure, a white steel skeleton tower, stands about 200 feet southwest of the historic light tower.

1. Light Tower and Attached Keeper's Dwelling. Founded on bedrock, the Green Island Light consists of a gray limestone light tower and attached two-story keeper's dwelling. Both are of random ashlar construction, with quoins and plain stone sills and lintels. The tower, which rises in front of the attached dwelling, is 9 feet square and 49 feet, 3 inches high (measured from the base to the ventilator ball of the lantern), with a focal plane height of 60 feet. Inside the tower, an iron circular stairway (now disassembled and scattered about the site) with two landings led to an iron trap door to the lantern. The 10-sided iron and brass lantern, 6 feet, 11.25 inches in diameter, features vertical bars; the lantern was glazed to a height of 36.5 inches, but the glass is now gone. The lantern was designed to display a 4th-order Fresnel lens. It was fitted with a new bull's-eye lens and new clockwork machinery (to rotate the lens) in 1906; neither is extant. Atop the lantern roof, of iron lined with zinc, is an iron ventilator ball; a copper lightning-conductor spindle, formerly grounded by copper cable to the ground, is now gone. Brackets support a cast-iron gallery 12 feet square, with a cast-iron balustrade. The entrance to the tower (which also serves as the central entrance to the attached dwelling) features a large, square transom, formerly with four

[X] See continuation sheet

lights; "1864," the date of construction, is carved in stone above the transom. Above this are two other windows, formerly with eight lights and two lights, respectively. The attached dwelling, 32 feet x 30 feet, contained six rooms and a cellar, with a one-story kitchen wing (13 feet x 21 feet) at the rear. A summer kitchen of wood frame construction was added later; it is no longer extant, although its foundation remains intact. The dwelling has a single inside end chimney at the rear of the main block. Interior partitions, which were of wood, and the gable roof appear to have been destroyed by fire. Principal windows were double-hung with 6/6 lights, but none remain.

2. Privy. Northeast of the combined tower and dwelling are the ruins of a stone privy, the only outbuilding that survives. It is a small, rectangular building of gray limestone construction similar to the light tower. It features quoins, a central doorway with stone sill, and a small, square window with plain lug sill in the west elevation. The door is missing, and the gable roof has collapsed. A ventilator stack that rose from the rear of the roof is gone.

3. Walks. A network of concrete walks, about three feet wide, connects the rear of the dwelling to the privy and to other outbuildings no longer extant, and bisects the island for a distance of some 1,100 feet, leading to a former boathouse and wharf (no longer extant) at the east end of the island. The concrete walks, installed sometime after 1909, replaced plank walks constructed in 1897.

Other Structures. Structures erected as part of the Green Island Light Station, but no longer extant, include: the first light tower and dwelling, completed in 1855 and destroyed by fire on January 1, 1864 (the present stone tower occupies a different, "more suitable" site); a "stone cistern of large capacity" (ca. 1879); a "well and storm-house combined," erected at the rear entrance to the summer kitchen (1886); a boathouse (35 feet x 18 feet), boat-ways (78 feet long), protection crib, and landing wharf (1889; wharf enlarged in 1894); 1,200 feet of plank walk, 2 feet wide, leading from the dwelling to the boathouse and wharf, and 100 feet of stone fence (1897); a square iron oil house lined with brick, with a concrete foundation, "located about 50 ft. westerly from base of tower" (1901); a wooden gambrel-roof barn (1908); paint house (date unkown); and a brick and cement cistern, 20 bbls. capacity. In 1909, there was also a small fenced garden, 60 feet x 40 feet in size.

8. Statement of Significance

Certifying official has considered the significance of this property in relation to other properties:
☐ nationally ☐ statewide ☒ locally

Applicable National Register Criteria ☒ A ☐ B ☒ C ☐ D

Criteria Considerations (Exceptions) ☐ A ☐ B ☐ C ☐ D ☐ E ☐ F ☐ G

Areas of Significance (enter categories from instructions)
Transportation
Engineering

Period of Significance
1864-1939

Significant Dates
1864-65

Cultural Affiliation
N/A

Significant Person
N/A

Architect/Builder
T. N. Graham, Lighthouse Engineer, 10th & 11th L.H. District

State significance of property, and justify criteria, criteria considerations, and areas and periods of significance noted above.

The Green Island Light was erected in 1864-65 to guide vessels safely through the South Passage around the Lake Erie Islands. It succeeded an earlier lighthouse completed in 1855 and destroyed by fire on New Year's Eve, 1863, the occasion of a dramatic rescue of the keeper and his family that has become part of island lore. The Green Island Light was rebuilt on a "new and more suitable site," and a light was exhibited from the new structure for the first time on July 1, 1865. The Green Island Light operated continuously until 1939 (the residence was abandoned in 1926), when it was superseded by an automated light on a steel skeleton tower erected southwest of the old lighthouse. Today the property consists of the ruins of a stone light tower and attached keeper's dwelling, the ruins of a stone privy, and a concrete walk connecting these buildings and other structures no longer extant, to the east end of the island, formerly the site of the lightkeeper's boathouse and wharf. Although shrouded by the thick growth that has overtaken it since it was abandoned half a century ago, the Green Island Light remains remarkably intact and conveys the feeling and association of a remote nineteenth-century light station. The small, uninhabited island is now a wildlife preserve.

This property meets the requirements for registration set forth in the multiple property documentation form "Light Stations of Ohio." The Green Island Light is significant under Criterion A for its association with the associated historic contexts of "Transportation and Commerce on Lake Erie, 1818-1936" and "Light Stations on the Great Lakes, 1819-1939."

The Green Island Light Tower and attached Keeper's Dwelling is eligible under Criterion C as displaying the distinct characteristics of nineteenth century lighthouse property type. The light retains integrity of location, design, setting, materials, workmanship, feeling, and association. The light displays the overall massing and configuration of the light tower with attached keeper's dwelling; the light retains its 10-sided iron and brass lantern minus the lens. The building is constructed of indigenous limestone. The light and its setting retain a high degree of integrity and although the archaeological component has not been thoroughly explored, the site may reveal the potential to yield important information about the historic function of the light station and the everyday lives of the lightkeeper and his family through the foundation remains of the original light station and outbuildings related to the 1864 light as well as the relatively undisturbed nature of the site since its abandonment in 1939.

☐ See continuation sheet

9. Major Bibliographical References

Drawing and photograph files. United States Coast Guard Ninth District, Cleveland, Ohio.

Hatcher, Harlan. Lake Erie. The Great American Lakes Series. Edited by Milo M. Quaife. Indianapolis and New York: The Bobbs-Merrill Company, 1945.

National Archives and Records Administration. Records of the United States Coast Guard. Record Group 26. Records of the Bureau of Lighthouses and Its Predecessors, 1789-1939.

Thorndale, Theresa. Sketches and Stories of the Lake Erie Islands. Sandusky, O.: I. F. Mack & Brother, 1898.

☐ See continuation sheet

Previous documentation on file (NPS):
- ☐ preliminary determination of individual listing (36 CFR 67) has been requested
- ☐ previously listed in the National Register
- ☐ previously determined eligible by the National Register
- ☐ designated a National Historic Landmark
- ☐ recorded by Historic American Buildings Survey # _____
- ☐ recorded by Historic American Engineering Record # _____

Primary location of additional data:
- ☐ State historic preservation office
- ☐ Other State agency
- ☒ Federal agency
- ☐ Local government
- ☐ University
- ☐ Other

Specify repository: Nat'l Archives & Records Admin.

10. Geographical Data

Acreage of property 15.80

UTM References

	Zone	Easting	Northing
A	17	344790	4612060
B	17	344850	4611860
C	17	344440	4611740
D	17	344360	4611950

☐ See continuation sheet

Verbal Boundary Description

Green Island, as recorded in Book C, Page 577, Ottawa County, Ohio, Public Records.

☐ See continuation sheet

Boundary Justification

The boundaries include the entire island that has been historically associated with the property.

☐ See continuation sheet

11. Form Prepared By

name/title Carol Poh Miller/Historical Consultant - under contract with
organization Ohio Historic Preservation Office date 9/28/89
street & number 2940 Somerton Road telephone 216/321-3940
city or town Cleveland Heights state Ohio zip code 44118

PHOTOGRAPHS-GREEN ISLAND LIGHT

1) Green Island Light
2) Green Island, vic. Put-in-Bay, Ohio
3) Carol Poh Miller photograph
4) November 1988
5) Ohio Historic Preservation Office
[NOTE: THE ABOVE INFORMATION IS THE SAME FOR PHOTOS #2-5]
6) Facade and south elevation, looking NE
7) #1 of 6

6) Facade looking east
7) #2 of 6

6) East (rear) elevation, looking west. Concrete walk in foreground.
7) #3 Of 6

6) East (rear) and south elevations, looking NW
7) #4 of 6

6) Privy, looking NE
7) #5 of 6

PHOTOCOPY:
1) Green Island Light
2) Green Island, vic. Put-in-Bay, Ohio
3) U.S. Coast Guard photographs
4) May 1939
5) Ohio Historic Preservation Office (copy neg.)
6) Green Island Light Station as it appeared in 1939.
7) #6 of 6


Green Island Light, Ottawa County, Ohio



VICINITY MAP
TRACED FROM L.S.CH. #3
SCALE OF STATUTE MILES
10 5 0 10

NOTES :

LATITUDE OF STATION	41° 38' 48"
LONGITUDE OF STATION	82° 52' 04"
AREA OF RESERVATION	17.1 ACRES
DATE OF PURCHASE	1853



NOTED AREA TO BE DECLARED EXCESS 12-14-56
TRACED FROM UNDATED MAP - DWG. 53-54L-1
SURVEY BELIEVED TO BE ABOUT 1885
THIS DRAWING DOES NOT SHOW
SUBSEQUENT IMPROVEMENTS

OFFICE OF SUPT. OF LIGHTHOUSES
TENTH DIST. BUFFALO N.Y.

GREEN ISL. LT. STA. - OHIO
MAP OF RESERVATION
SCALE - AS NOTED APPROVED - MAY 4 1939

ASST. SUPT. SUPERINTENDENT
DR. BY - C.W.R. 39-54-719

NPS Form 10-900-a
(8-86)

2/22/90
OMB Approval No. 1024-0018

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number _____ Page _____

Light Stations of Ohio MPS
Ottawa County
OHIO

Date Listed

Substantive Review

COVER 4/5/90

1. South Bass Island Light Substantive Review 4/5/90

2. Green Island Light Entered in the National Register 12/18/90

3. Huron Harbor Light _____

4. Conneaut Harbor West Breakwater Light Entered in the National Register 4/10/92

5. Fairport Harbor West Breakwater Light Substantive Review 4/10/92

UNITED STATES DEPARTMENT OF THE INTERIOR
NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES
EVALUATION/RETURN SHEET

REQUESTED ACTION: NOMINATION

PROPERTY NAME: Green Island Light

MULTIPLE NAME: Light Stations of Ohio MPS

STATE & COUNTY: OHIO, Ottawa

DATE RECEIVED: 11/14/90 DATE OF PENDING LIST: 11/30/90
DATE OF 16TH DAY: 12/16/90 DATE OF 45TH DAY: 12/29/90
DATE OF WEEKLY LIST:

REFERENCE NUMBER: 90001909

NOMINATOR: STATE

REASONS FOR REVIEW:

APPEAL:	N	DATA PROBLEM:	N	LANDSCAPE:	N	LESS THAN 50 YEARS:	N
OTHER:	N	PDIL:	N	PERIOD:	N	PROGRAM UNAPPROVED:	N
REQUEST:	N	SAMPLE:	N	SLR DRAFT:	N	NATIONAL:	N

COMMENT WAIVER: N

✓ ACCEPT ___RETURN ___REJECT 12/18/90 DATE

Entered in the National Register

ABSTRACT/SUMMARY COMMENTS:

RECOM./CRITERIA_____
REVIEWER_____
DISCIPLINE_____
DATE_____

DOCUMENTATION see attached comments Y/N see attached SLR Y/N

CLASSIFICATION

___count ___resource type

STATE/FEDERAL AGENCY CERTIFICATION

FUNCTION

___historic ___current

DESCRIPTION

___architectural classification
___materials
___descriptive text

SIGNIFICANCE

Period Areas of Significance--Check and justify below

Specific dates Builder/Architect
Statement of Significance (in one paragraph)

___summary paragraph
___completeness
___clarity
___applicable criteria
___justification of areas checked
___relating significance to the resource
___context
___relationship of integrity to significance
___justification of exception
___other

BIBLIOGRAPHY

GEOGRAPHICAL DATA

___acreage ___verbal boundary description
___UTMs ___boundary justification

ACCOMPANYING DOCUMENTATION/PRESENTATION

___sketch maps ___USGS maps ___photographs ___presentation

OTHER COMMENTS

Questions concerning this nomination may be directed to

_____ Phone _____

Signed _____ Date _____

UNITED STATES DEPARTMENT OF THE INTERIOR
NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES
EVALUATION/RETURN SHEET

REQUESTED ACTION: NOMINATION

PROPERTY NAME: Green Island Light

MULTIPLE NAME: Light Stations of Ohio MPS

STATE & COUNTY: OHIO, Ottawa

DATE RECEIVED: 11/14/90 DATE OF PENDING LIST: 11/30/90
DATE OF 16TH DAY: 12/16/90 DATE OF 45TH DAY: 12/29/90
DATE OF WEEKLY LIST:

REFERENCE NUMBER: 90001909

NOMINATOR: STATE

REASONS FOR REVIEW:

APPEAL:	N	DATA PROBLEM:	N	LANDSCAPE:	N	LESS THAN 50 YEARS:	N
OTHER:	N	PDIL:	N	PERIOD:	N	PROGRAM UNAPPROVED:	N
REQUEST:	N	SAMPLE:	N	SLR DRAFT:	N	NATIONAL:	N

COMMENT WAIVER: N

✓ ACCEPT ___RETURN ___REJECT 12/18/90 DATE

Entered in the National Register

ABSTRACT/SUMMARY COMMENTS:

Patrick — Green Island Light
please review the resource type & count to see if they accurately reflect the nominated (now listed) property.
Should add 1 Structure
Sec. lightHouse/Keepers Hse. is still pretty extant - i.e. not a ruin

NEED SLR

RECOM./CRITERIA_____
REVIEWER_____
DISCIPLINE_____
DATE_____

DOCUMENTATION see attached comments Y/N see attached SLR Y/N



GREEN ISLAND LIGHT
OTTAWA COUNTY, OH
#1


1864

GREEN ISLAND LIGHT
OTTAWA COUNTY, OH
#2



GREEN ISLAND LIGHT
OTTAWA COUNTY, OH
#3



GREEN ISLAND LIGHT
OTTAWA COUNTY, OH
#4



GREEN ISLAND LIGHT
OTTAWA COUNTY, OH
#5

GREEN ISLAND (OHIO)

(Lake Erie)

LIGHT STATION, LOOKING S.E. 5-16-1939



LIGHT STATION, LOOKING WEST, 5-17-1939.



LIGHT STATION, LOOKING N.E. 5-16-1939.



BARN, ETC. 5-17-1939



GREEN ISLAND LIGHT
OTTAWA COUNTY, OH
#6

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

STATE OF OHIO
DEPARTMENT OF HIGHWAYS
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF GEOLOGICAL SURVEY

PUT-IN-BAY QUADRANGLE
OHIO
7.5 MINUTE SERIES (TOPOGRAPHIC)
NE/4 PUT-IN-BAY 15' QUADRANGLE

82°52'30" 41°45' 345000m E. 346 347 50' 348 349 350 47'30" 352 353 1 930 000 FEET 354 82°45' 41°45'

4623000m N. 4622 4621 4620 4619 42'30" 4618 4617 4616 4615 40' 4614 4613 4612 720 000 FEET 4611 4610000m N.

750 000 FEET

CANADA
UNITED STATES
ONTARIO
OHIO
OTTAWA CO

L A K E E R I E

P U T - I N B A Y

APPROXIMATE MEAN LAKE ELEVATION 571

North Bass Island
Manila Bay
Landing Field
RIDGE ROAD
COUNTY LINE ROAD
FAIRWAY

Sugar Island
Middle Bass Island
DELTA ROAD
DEWEY ROAD
LONZ ROAD
RUNKLE ROAD
Middle Bass Sch
LANDING STRIP
Middle Bass Landing Strip

The Rattlesnake Islands
Rattlesnake Island
Landing Field

Lighthouse
Ballast Island

Peach Orchard Pt
Gilbraltar Island
Ohio State Univ Ext
Put-in-Bay
PERRYS NATIONAL MONUMENT
Park
St Pauls Ch
High Sch
Put-in-Bay
MITCHELL
WESTSHORE
NIAGARA
THOMPSON
LANGram
Crown Hill Cem
SOUTH BASS ISLAND STATE PARK
Put-in-Bay Airfield
Maple Leaf Cem
U S Coast Guard Station
Lighthouse
Starve Island

Green Island
Lighthouse

FERRY
PORT CLINTON 10 MI.
SANDUSKY 20 MI.
CATAWBA ISLAND 2.8 MI.
(PORT CLINTON) 4467 III SW
(KELLEYS ISLAND) 4467 II SW
(GYPSUM) 4467 III SE

GREEN ISLAND LIGHT
OTTAWA COUNTY, OH
A 17. 344190. 4612060
B 17. 344850. 4611860
C 17. 344440. 4611740
D 17. 344360. 4611950

Mapped, edited, and published by the Geological Survey

Control by USGS, USC&GS, and U. S. Lake Survey

Planimetry by photogrammetric methods from aerial photographs taken 1956. Topography by planetable surveys 1959. Revised from aerial photographs taken 1969. Field checked 1969

Selected hydrographic data compiled from U. S. Lake Survey Chart 364 (1967)
This information is not intended for navigational purposes

Polyconic projection. 1927 North American datum
10,000-foot grid based on Ohio coordinate system, north zone
1000-meter Universal Transverse Mercator grid ticks,
zone 17, shown in blue

Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked

MN GN
3° 53 MILS
1°12' 21 MILS
UTM GRID AND 1969 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

SCALE 1:24 000
1 MILE
1000 0 1000 2000 3000 4000 5000 6000 7000 FEET
1 KILOMETER

CONTOUR INTERVAL 5 FEET
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS LOW WATER 568.6 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

OHIO
QUADRANGLE LOCATION

ROAD CLASSIFICATION
Light-duty road, all weather, improved surface
Unimproved road, fair or dry weather
State Route

PUT-IN-BAY, OHIO
NE/4 PUT-IN-BAY 15' QUADRANGLE
N4137.5—W8245/7.5

1969

AMS 4467 III NE—SERIES V852

INTERIOR—GEOLOGICAL SURVEY, WASHINGTON, D. C.—1971

Ohio Historic Preservation Office

Ohio Historical Center
1982 Velma Avenue
Columbus, Ohio 43211-2497
(614) 297-2470

NOV 14 1990
NATIONAL REGISTER

OHIO HISTORICAL SOCIETY
SINCE 1885

November 8, 1990

Ms. Carol Shull, Chief
National Register of Historic Places
National Park Service
Department of the Interior
P.O. Box 37127
Washington, D.C. 20013-7127

Dear Carol:

Enclosed are two (2) new National Register nominations. All the appropriate notification procedures have been followed for these new submission.

New Submissions	County
Green Island Light Station	Ottawa
Ohio Departments of State Building	Franklin

Please contact me if you have any questions.

Sincerely,

W. Ray Luce

W. Ray Luce
State Historic Preservation Officer

WRL/jw:dh

Enclosures

nrohp/trans.rev

NATIONAL REGISTER OF HISTORIC PLACES PROPERTY REPORT
REFERENCE No.: 90001909 Control No.: 901130/ALD

PROPERTY NAME: Green Island Light

OTHER NAME/ SITE No. : NOT APPLICABLE

MULTIPLE NAME: Light Stations of Ohio MPS

ADDRESS/ BOUNDARY : Green Island in Lake Erie

CITY: Put-in-Bay VICINITY

COUNTY: Ottawa STATE: OHIO

Restricted Location Information: Owner: STATE Resource Type: SITE

FEDERAL Delete

	Contributing	Noncontributing
Buildings	0	0
Sites	1	0
Structures	0	1
Objects	0	0

Nomination/Determination Type: MULTIPLE RESOURCE

Nominator: STATE GOVERNMENT Nominator Name: NOT APPLICABLE

Federal Agency: COAST GUARD STATE

NPS Park Name: NOT APPLICABLE

Certification: DATE RECEIVED/PENDING NOMINATION Date: 11/14/90

LI 12/18/90

Other Certification: NOT APPLICABLE

Historic Functions: TRANSPORTATION

Historic Subfunctions: WATER-RELATED

Current Functions: VACANT/NOT IN USE

Current Subfunctions: NOT APPLICABLE

Level of Significance: LOCAL Applicable Criteria: EVENT ARCHITECTURE/ENGINEERING

Significant Person's Name: NOT APPLICABLE

Criteria Considerations: NOT APPLICABLE

Area of Significance: ENGINEERING

TRANSPORTATION

Periods of: 1925-1949 1900-1924 Circa: Specific Sig. Years:
Significance: 1875-1899 1850-1874

1864
1865

Architect/Builder/Engineer/ Designer:

Graham,T.N.

Cultural Affiliation:

NOT APPLICABLE

Other Documentation:

NOT APPLICABLE

HABS No. N/A

HAER No. N/A

Architectural Styles: OTHER

Describe Other Style: Light station

Foundation Materials: SANDSTONE
Wall Materials: LIMESTONE BRICK
Roof Materials: IRON
Other Materials: CAST IRON

Acreage: 15.8

UTM	Zone	Easting	Northing	Zone	Easting	Northing
Coordinates:	17/	/3 44 790/	/46 12 060	17/	/3 44 850/	/46 11 860
	17/	/3 44 440/	/46 11 740	17/	/3 44 360/	/46 11 950